Uni-Bond
POWERSPORTS LIGHTING
VENOM
Uni-Bond
Lighting & Safety Products
Uni-Bond
Uni-Bond
Your Ride. Your Lights. Your Style.
Stand Out From the Rest

VENOM 25 SERIES POD LIGHTS

LW6025-2K
Dual Lamp Kit

IP69K
EMC
RoHS

Plug-&-Go Harness (included)

10800
RAW LUMENS (PER LAMP)

Amber DRL

White DRL



LW6025
Single Lamp

IP69K
EMC
RoHS

10800
RAW LUMENS

Part No.	LW6025-2K	LW6025
Colour	White	White
Voltage	10V - 30V DC	10V - 30V DC
Amp Draw	6.88 @ 12V per lamp	6.88 @ 12V
Housing	High UV Resistant Aluminum	High UV Resistant Aluminum
Lens	Polycarbonate	Polycarbonate
Connection	Plug-&-Go Harness	4x Lead Wires

25 SERIES HARNESSING SOLUTIONS

PT6825-2
Plug & Go Harness for 2 Lamps
4-Pin Deutsch
W/ ON/OFF
& DRL Selection
Switches

PT6825-4
Plug & Go Harness for 4 Lamps
4-Pin Deutsch
W/ ON/OFF
& DRL Selection
Switches

PT6825-6
Plug & Go Harness for 6 Lamps
4-Pin Deutsch
W/ ON/OFF
& DRL Selection
Switches

LW4025
Combo Lamp

IP69K
EMC
RoHS

7200
RAW LUMENS



LW3025
Combo Lamp

IP69K
EMC
RoHS

3600
RAW LUMENS



LW2025
Spot Lamp

IP69K
EMC
RoHS

1800
RAW LUMENS



Part No.	LW4025	LW3025	LW2025
Colour	White	White	White
Voltage	10V - 30V DC	10V - 30V DC	10V - 30V DC
Amp Draw	4.71 @ 12V	2.98 @ 12V	1.21 @ 12V
Housing	High UV Resistant Aluminum	High UV Resistant Aluminum	High UV Resistant Aluminum
Lens	Polycarbonate	Polycarbonate	Polycarbonate

VENOM 37 SERIES POD LIGHTS
OFF-ROAD ▪ POWERSPORTS

VENOM POWERSPORT LAMPS

LW4037-2K
Dual Lamp Kit

IP69K
EMC
RoHS



UP TO 2296 FT LONG
UP TO 190 FT WIDE

4800
RAW LUMENS



Accessories Included

Silver Frame

Black Frame

Yellow Lens Cover

Remote Control

Flash Controller

Plug-&-Go Harness

Part No.	LW4037-2K
Colour	White
Voltage	10V - 30V DC
Amp Draw	3.33 @ 12V
Housing	High UV Resistant Aluminum
Lens	Polycarbonate
Connection	Plug-&-Go Harness
Mounting	Steel Bracket

LW3037-2K
Dual Lamp Kit

IP69K
EMC
RoHS



UP TO 846 FT LONG
UP TO 190 FT WIDE

4000
RAW LUMENS

Accessories Included

Silver Frame

Black Frame

Yellow Lens Cover



LW2037-2K
Dual Lamp Kit

IP69K
EMC
RoHS



UP TO 688 FT LONG
UP TO 190 FT WIDE

2800
RAW LUMENS

Accessories Included

Silver Frame

Black Frame

Yellow Lens Cover



Part No.	LW3037-2K	LW2037-2K
Colour	White	White
Voltage	10V - 30V DC	10V - 30V DC
Amp Draw	2.5 @ 12V per lamp	1.7 @ 12V per lamp
Housing	High UV Resistant Aluminum	High UV Resistant Aluminum
Lens	Polycarbonate	Polycarbonate
Connection	Plug-&-Go Harness	Plug-&-Go Harness
Mounting	Steel Bracket	Steel Bracket

Accessories Included for All Kits

LED POD LIGHTING

EW50 SERIES LED "FAT" WHIPS
QUICK DISCONNECT ▪ HEAVY DUTY

The quick disconnect LED Fat Whip lets you express your off-road vibes. With over 178+ settings, the fun never stops. The fat whips are measured to be 2-inch in diameter which improves the overall light spread of the RGBs.

Part No.	LED Colour	Length
EW5010RGB-2K	RGB	1'
EW5020RGB-2K	RGB	2'
EW5030RGB-2K	RGB	3'

EW50
RGB Colours Version

IP69K
EMC
RoHS

FEATURES & BENEFITS
- Working Temperature (down to -40°C)
- Control Module, Harness & Remote Included

SERIES	EW50
Quantity	2 units
Voltage	12V DC
Housing	Aluminum
Mounting	Black Electroplated Quick Disconnect



Turn Signal, Brake Light and Reverse Light Function

EWR740
Tube Clamps for LED Whips (2 Pack)

EW8000RGB SERIES
LASER WHIPS

The EW8000RGB Laser Whip brings vibrant RGB lighting to your powersports setup in a compact, rugged design. With multiple colour and lighting modes, it delivers bold illumination that helps your machine stand out on the trail.

EW8000
RGB Laser Whips Dual Kit

IP67
EMC
RoHS

FEATURES & BENEFITS
- RGB Laser-Style Accent Lighting Without a Traditional Whip Pole
- Compact, Low-Profile Housing
- Creates a Distinctive Look
- 40W RGB
- Kit Contents: Mounting Brackets, 5' Harness, ON/OFF Switch

LED 30 SERIES
QUICK DISCONNECT ▪ FULLY LIT

Part No.	LED Colour	Length
EW3040A	Amber	4'
EW3040B	Blue	4'
EW3040G	Green	4'
EW3040R	Red	4'
EW3040W	White	4'
EW3050A	Amber	5'
EW3050B	Blue	5'
EW3050G	Green	5'
EW3050R	Red	5'
EW3050W	White	5'
EW3060A	Amber	6'
EW3060B	Blue	6'
EW3060G	Green	6'
EW3060R	Red	6'
EW3060W	White	6'
EW3040RGB	RGB	4'
EW3040RGB-2K	RGB	4'

EW30
Single Colour Version

IP68
EMC
RoHS

EW3040RGB
RGB Colours Version

IP68
EMC
RoHS

SERIES	EW30 (Single Colour)	EW3040RGB	EW3040RGB-2K
Quantity	1 unit	1 unit with controller	2 units with controller
LED Colour	Single Colour	RGB Multi-Colour	RGB Multi-Colour
Voltage	12V DC	12V DC	12V DC
Housing	EVA Flex Tube	Semi-Flex Tube	Semi-Flex Tube

LIGHTING KITS

COMPACT ▪ COMPLETE KIT

Built to deliver versatile auxiliary lighting in a compact package, Uni-Bond Lighting Kits provide everything needed to add functional and accent lighting to powersports and off-road applications. Available with dual rock light kits or a combination of two mini pod lights and a mini light bar, these kits offer a convenient all-in-one solution for compact installations.

RGB2017-4K
Mini RGB Flood Lamp Kit

- IP68
- EMC
- RoHS

Lumens: 186
LED: 6X1.5W RGB
Optimal Penetration: 15ft
Amp: 0.16@12V

RGB2018-4K
Mini RGB Flood Lamp Kit

- IP68
- EMC
- RoHS

Lumens: 186
LED: 6X1.5W RGB
Optimal Penetration: 15ft
Amp: 0.16@12V

Harnesses & RGB Controller Included

LW4540-8K
3.5' Linkable LED Light Bar Kit

- IP68
- IP69K
- EMC
- RoHS

Lumens: 4,000
LED: 4x 10W LED
Optimal Penetration: 961ft
Amp Draw: 3.5@ 12V
Beam: Combo
Plug & Go Harness & ON/OFF Switch Included
SPECIFICATIONS ARE PER LAMP

CUSTOMIZE YOUR SET-UP

SOLD AS AN 8-LAMP KIT WITH THE FLEXIBILITY TO REDUCE THE NUMBER TO SUIT YOUR APPLICATION



LINKABLE STEEL BRACKETS

LW881038K2
ULTRA NXT LED Work Lamps + Light Bar Kit
1x LW881038 | 2x LW0228

- IP68
- IP69K
- EMC
- RoHS

Lumens: 1,920 (Lamp) / 3,780 (Bar)
LED: 4X5W (Lamp)/9X5W (Bar)
Optimal Penetration: 15ft
Amp: 1.9@12V (Lamp) 3@12V (Bar)
Beam: Combo

White & Amber Position Lights

ACCESSORIES
(SOLD SEPARATELY)

PT6812 - Harness for LW0228
PT1802 - Harness for LW881038

DISPLAY OPTIONS

CUSTOMIZABLE ▪ SHOWROOM READY

Uni-Bond Lighting displays provide a clean, professional way to showcase our lighting products in customer showrooms. A variety of compatible lights can be combined and mounted to durable metal displays, creating customized configurations that highlight key products while keeping the presentation organized, accessible, and ready for demonstration.

FEATURES & BENEFITS

- Customer Experience: Lets customers see, compare, and interact with products before purchasing
- Presentation: Professionally installed for a clean, organized, showroom-ready appearance
- Mounting: High-quality metal mounting provides a secure and durable product display
- Operation: Integrated switches allow products to be easily demonstrated in real time
- Installation: Pre-wired design helps make setup fast and virtually plug-and-play

CUSTOMIZABLE DISPLAY OPTIONS

Product configurations tailored to your needs.
Subject to compatability, display limitations, and approval.



SG004
4-GANG SWITCH KIT

SG060
6-GANG ROCKER SWITCH BOX

SG1200
12-GANG SWITCH KIT W/ CIRCUIT BREAKER

ROCKER SWITCHES

HEAVY DUTY

Built for dependable control in demanding applications, Uni-Bond rocker switches provide a simple and reliable way to operate your vehicle accessories. Their durable construction and easy-to-use design make them ideal for powersports, work trucks, off-road vehicles, and other 12V applications.

FEATURES & BENEFITS

- Application: Multi-Voltage Vehicle & Powersports
- Housing: Black Aluminum
- Operation: Simple ON/OFF Control
- Use: Ideal for Controlling Auxilary/Aftermarket lighting & Accessories
- Integrated USB Ports Provide Fast Charging for Your Devices

SG030
3-Gang Rocker Switch Box

FCC CE RoHS

Voltage: 12/24V
Amps: Max 60A
Mount: Surface/Bracket
Lead Wire: 12ft

SG040
4-Gang Rocker Switch Box

FCC CE RoHS

Voltage: 12/24V
Amps: Max 60A
Mount: Surface/Bracket
Lead Wire: 12ft

SG060
6-Gang Rocker Switch Box

FCC CE RoHS

Voltage: 12/24V
Amps: Max 60A
Mount: Surface/Bracket
Lead Wire: 12ft

BUTTON SWITCH PANELS

HEAVY DUTY

Built for dependable control in demanding applications, Uni-Bond switch panels provide centralized control for multiple vehicle accessories from one convenient interface. Their rugged construction, illuminated buttons, and organized power distribution make them ideal for powersports, work trucks, off-road vehicles, and other 12V applications.

SG004
4-Gang Button Switch Panel

FCC CE RoHS

Voltage: 12/24V
Amps: Max 60A
Mount: Surface/Bracket
Lead Wire: 14ft

SG600
6-Gang Button Switch Panel

FCC CE RoHS

Voltage: 12/24V
Amps: Max 60A
Mount: Surface/Bracket
Lead Wire: 14ft

SG800
8-Gang Button Switch Panel

FCC CE RoHS

Voltage: 12/24V
Amps: Max 60A
Mount: Surface/Bracket
Lead Wire: 14ft

SG1200
12-Gang Button Switch Panel

FCC CE RoHS

Voltage: 12/24V
Amps: Max 60A
Mount: Surface/Bracket
Lead Wire: 14ft

SG601
Wireless 6-Gang Switch Kit

FCC CE RoHS

Voltage: 12/24V
Amps: Max 60A
Mount: Surface/Bracket
20ft Wireless Range

20 METERS OF RANGE

POWERSPORTS LIGHTING

BUYER'S GUIDE

ENGINEERED FOR

ILLUMINATING POWERSPORTS



Visit the ORANGE At:
www.unibondlighting.com

TOLL FREE: 1-888-611-9926
EMAIL: custservice@unibondlighting.com